

NiCr-Ni (тип „K“) DIN IEC 584

°C	-0	-1	-2	-3	-4	-5	-6	-7	-8	-9
-200	-5.891									
-190	-5.730	-5.747	-5.763	-5.780	-5.796	-5.813	-5.829	-5.845	-5.860	-5.876
-180	-5.550	-5.569	-5.587	-5.606	-5.624	-5.642	-5.660	-5.678	-5.695	-5.712
-170	-5.354	-5.374	-5.394	-5.414	-5.434	-5.454	-5.474	-5.493	-5.512	-5.531
-160	-5.141	-5.163	-5.185	-5.207	-5.228	-5.249	-5.271	-5.292	-5.313	-5.333
-150	-4.912	-4.936	-4.959	-4.983	-5.006	-5.029	-5.051	-5.074	-5.097	-5.119
-140	-4.669	-4.694	-4.719	-4.743	-4.768	-4.792	-4.817	-4.841	-4.865	-4.889
-130	-4.410	-4.437	-4.463	-4.489	-4.515	-4.541	-4.567	-4.593	-4.618	-4.644
-120	-4.138	-4.166	-4.193	-4.221	-4.248	-4.276	-4.303	-4.330	-4.357	-4.384
-110	-3.852	-3.881	-3.910	-3.939	-3.968	-3.997	-4.025	-4.053	-4.082	-4.110
-100	-3.553	-3.584	-3.614	-3.644	-3.674	-3.704	-3.734	-3.764	-3.793	-3.823

°C	-0	-1	-2	-3	-4	-5	-6	-7	-8	-9
-90	-3.242	-3.274	-3.305	-3.337	-3.368	-3.399	-3.430	-3.461	-3.492	-3.523
-80	-2.920	-2.953	-2.985	-3.018	-3.050	-3.082	-3.115	-3.147	-3.179	-3.211
-70	-2.586	-2.620	-2.654	-2.687	-2.721	-2.754	-2.788	-2.821	-2.854	-2.887
-60	-2.243	-2.277	-2.312	-2.347	-2.381	-2.416	-2.450	-2.484	-2.518	-2.552
-50	-1.889	-1.925	-1.961	-1.996	-2.032	-2.067	-2.102	-2.137	-2.173	-2.208
-40	-1.527	-1.563	-1.600	-1.636	-1.673	-1.709	-1.745	-1.781	-1.817	-1.853
-30	-1.156	-1.193	-1.231	-1.268	-1.305	-1.342	-1.379	-1.416	-1.453	-1.490
-20	-0.777	-0.816	-0.854	-0.892	-0.930	-0.963	-1.005	-1.043	-1.081	-1.118
-10	-0.392	-0.431	-0.469	-0.508	-0.547	-0.585	-0.624	-0.662	-0.701	-0.739
-0	-0.000	-0.039	-0.079	-0.118	-0.157	-0.197	-0.236	-0.275	-0.314	-0.353

°C	0	1	2	3	4	5	6	7	8	9
0	0.000	0.039	0.079	0.119	0.158	0.198	0.238	0.277	0.317	0.357
10	0.397	0.437	0.477	0.517	0.557	0.597	0.637	0.677	0.718	0.758
20	0.798	0.838	0.879	0.919	0.960	1.000	1.041	1.081	1.122	1.162
30	1.203	1.244	1.285	1.325	1.366	1.407	1.448	1.489	1.529	1.570
40	1.611	1.652	1.693	1.734	1.776	1.817	1.858	1.899	1.940	1.981
50	2.022	2.064	2.105	2.146	2.188	2.229	2.270	2.312	2.353	2.394
60	2.436	2.477	2.519	2.560	2.601	2.643	2.684	2.726	2.767	2.809
70	2.850	2.892	2.933	2.975	3.016	3.058	3.100	3.141	3.183	3.224
80	3.266	3.307	3.349	3.390	3.432	3.473	3.515	3.556	3.598	3.639
90	3.681	3.722	3.764	3.805	3.847	3.888	3.930	3.971	4.012	4.054

°C	0	1	2	3	4	5	6	7	8	9
100	4.095	4.137	4.178	4.219	4.261	4.302	4.343	4.384	4.426	4.467
110	4.508	4.549	4.590	4.632	4.673	4.714	4.755	4.796	4.837	4.878
120	4.919	4.960	5.001	5.042	5.083	5.124	5.164	5.205	5.246	5.287
130	5.327	5.368	5.409	5.450	5.490	5.531	5.571	5.612	5.652	5.693
140	5.733	5.774	5.814	5.855	5.895	5.936	5.976	6.016	6.057	6.097
150	6.137	6.177	6.218	6.258	6.298	6.338	6.378	6.419	6.459	6.499
160	6.539	6.579	6.619	6.659	6.699	6.739	6.779	6.819	6.859	6.899
170	6.939	6.979	7.019	7.059	7.099	7.139	7.179	7.219	7.259	7.299
180	7.338	7.378	7.418	7.458	7.498	7.538	7.578	7.618	7.658	7.697
190	7.737	7.777	7.817	7.857	7.897	7.937	7.977	8.017	8.057	8.097

NiCr-Ni (тип „K“) DIN IEC 584

°C	0	1	2	3	4	5	6	7	8	9
200	8.137	8.177	8.216	8.256	8.296	8.336	8.376	8.416	8.456	8.497
210	8.537	8.577	8.617	8.657	8.697	8.737	8.777	8.817	8.857	8.898
220	8.938	8.978	9.018	9.058	9.099	9.139	9.179	9.220	9.260	9.300
230	9.341	9.381	9.421	9.462	9.502	9.543	9.583	9.624	9.664	9.705
240	9.745	9.786	9.826	9.867	9.907	9.948	9.989	10.029	10.070	10.111
250	10.151	10.192	10.233	10.274	10.315	10.355	10.396	10.437	10.478	10.519
260	10.560	10.600	10.641	10.682	10.723	10.764	10.805	10.846	10.887	10.928
270	10.969	11.010	11.051	11.093	11.134	11.175	11.216	11.257	11.298	11.339
280	11.381	11.422	11.463	11.504	11.546	11.587	11.628	11.669	11.711	11.752
290	11.793	11.835	11.876	11.918	11.959	12.000	12.042	12.083	12.125	12.166

°C	0	1	2	3	4	5	6	7	8	9
300	12.207	12.249	12.290	12.332	12.373	12.415	12.456	12.498	12.539	12.581
310	12.623	12.664	12.706	12.747	12.789	12.831	12.872	12.914	12.955	12.997
320	13.039	13.080	13.122	13.164	13.205	13.247	13.289	13.331	13.372	13.414
330	13.456	13.497	13.539	13.581	13.623	13.665	13.706	13.748	13.790	13.832
340	13.874	13.915	13.957	13.999	14.041	14.083	14.125	14.167	14.208	14.250
350	14.292	14.334	14.376	14.418	14.460	14.502	14.544	14.586	14.628	14.670
360	14.712	14.754	14.796	14.838	14.880	14.922	14.964	15.006	15.048	15.090
370	15.132	15.174	15.216	15.258	15.300	15.342	15.384	15.426	15.468	15.510
380	15.552	15.594	15.636	15.679	15.721	15.763	15.805	15.847	15.889	15.931
390	15.974	16.016	16.058	16.100	16.142	16.184	16.227	16.269	16.311	16.353

°C	0	1	2	3	4	5	6	7	8	9
400	16.395	16.438	16.480	16.522	16.564	16.607	16.649	16.691	16.733	16.776
410	16.818	16.860	16.902	16.945	16.987	17.029	17.072	17.114	17.156	17.199
420	17.241	17.283	17.326	17.368	17.410	17.453	17.495	17.537	17.580	17.622
430	17.664	17.707	17.749	17.792	17.834	17.876	17.919	17.961	18.004	18.046
440	18.088	18.131	18.173	18.216	18.258	18.301	18.343	18.385	18.428	18.470
450	18.513	18.555	18.598	18.640	18.683	18.725	18.768	18.810	18.853	18.895
460	18.938	18.980	19.023	19.065	19.108	19.150	19.193	19.235	19.278	19.320
470	19.363	19.405	19.448	19.490	19.533	19.576	19.618	19.661	19.703	19.746
480	19.788	19.831	19.873	19.916	19.959	20.001	20.044	20.086	20.129	20.172
490	20.214	20.257	20.299	20.342	20.385	20.427	20.470	20.512	20.555	20.598

°C	0	1	2	3	4	5	6	7	8	9
500	20.640	20.683	20.725	20.768	20.811	20.853	20.896	20.938	20.981	21.024
510	21.066	21.109	21.152	21.194	21.237	21.280	21.322	21.365	21.407	21.450
520	21.493	21.535	21.578	21.621	21.663	21.706	21.749	21.791	21.834	21.876
530	21.919	21.962	22.004	22.047	22.090	22.132	22.175	22.218	22.260	22.303
540	22.346	22.388	22.431	22.473	22.516	22.559	22.601	22.644	22.687	22.729
550	22.772	22.815	22.857	22.900	22.942	22.985	23.028	23.070	23.113	23.156
560	23.198	23.241	23.284	23.326	23.369	23.411	23.454	23.497	23.539	23.582
570	23.624	23.667	23.710	23.752	23.795	23.837	23.880	23.923	23.965	24.008
580	24.050	24.093	24.136	24.178	24.221	24.263	24.306	24.348	24.391	24.434
590	24.476	24.519	24.561	24.604	24.646	24.689	24.731	24.774	24.817	24.859

NiCr-Ni (тип „K“) DIN IEC 584

°C	0	1	2	3	4	5	6	7	8	9
600	24.902	24.944	24.987	25.029	25.072	25.114	25.157	25.199	25.242	25.284
610	25.327	25.369	25.412	25.454	25.497	25.539	25.582	25.624	25.666	25.709
620	25.751	25.794	25.836	25.879	25.921	25.964	26.006	26.048	26.091	26.133
630	26.176	26.218	26.260	26.303	26.345	26.387	26.430	26.472	26.515	26.557
640	26.599	26.642	26.684	26.726	26.769	26.811	26.853	26.896	26.938	26.980
650	27.022	27.065	27.107	27.149	27.192	27.234	27.276	27.318	27.361	27.403
660	27.445	27.487	27.529	27.572	27.614	27.656	27.698	27.740	27.783	27.825
670	27.867	27.909	27.951	27.993	28.035	28.078	28.120	28.162	28.204	28.246
680	28.288	28.330	28.372	28.414	28.456	28.498	28.540	28.583	28.625	28.667
690	28.709	28.751	28.793	28.835	28.877	28.919	28.961	29.002	29.044	29.086

°C	0	1	2	3	4	5	6	7	8	9
700	29.128	29.170	29.212	29.254	29.296	29.338	29.380	29.422	29.464	29.505
710	29.547	29.589	29.631	29.673	29.715	29.756	29.798	29.840	29.882	29.924
720	29.965	30.007	30.049	30.091	30.132	30.174	30.216	30.257	30.299	30.341
730	30.383	30.424	30.466	30.508	30.549	30.591	30.632	30.674	30.716	30.757
740	30.799	30.840	30.882	30.924	30.965	31.007	31.048	31.090	31.131	31.173
750	31.214	31.256	31.297	31.339	31.380	31.422	31.463	31.504	31.546	31.587
760	31.629	31.670	31.712	31.753	31.794	31.836	31.877	31.918	31.960	32.001
770	32.042	32.084	32.125	32.166	32.207	32.249	32.290	32.331	32.372	32.414
780	32.455	32.496	32.537	32.578	32.619	32.661	32.702	32.743	32.784	32.825
790	32.866	32.907	32.948	32.990	33.031	33.072	33.113	33.154	33.195	33.236

°C	0	1	2	3	4	5	6	7	8	9
800	33.277	33.318	33.359	33.400	33.441	33.482	33.523	33.564	33.604	33.645
810	33.686	33.727	33.768	33.809	33.850	33.891	33.931	33.972	34.013	34.054
820	34.095	34.136	34.176	34.217	34.258	34.299	34.339	34.380	34.421	34.461
830	34.502	34.543	34.583	34.624	34.665	34.705	34.746	34.787	34.827	34.868
840	34.909	34.949	34.990	35.030	35.071	35.111	35.152	35.192	35.233	35.273
850	35.314	35.354	35.395	35.435	35.476	35.516	35.557	35.597	35.637	35.678
860	35.718	35.758	35.799	35.839	35.880	35.920	35.960	36.000	36.041	36.081
870	36.121	36.162	36.202	36.242	36.282	36.323	36.363	36.403	36.443	36.483
880	36.524	36.564	36.604	36.644	36.684	36.724	36.764	36.804	36.844	36.885
890	36.925	36.965	37.005	37.045	37.085	37.125	37.165	37.205	37.245	37.285

°C	0	1	2	3	4	5	6	7	8	9
900	37.325	37.365	37.405	37.445	37.484	37.524	37.564	37.604	37.644	37.684
910	37.724	37.764	37.803	37.843	37.883	37.923	37.963	38.002	38.042	38.082
920	38.122	38.162	38.201	38.241	38.281	38.320	38.360	38.400	38.439	38.479
930	38.519	38.558	38.598	38.638	38.677	38.717	38.756	38.796	38.836	38.875
940	38.915	38.954	38.994	39.033	39.073	39.112	39.152	39.191	39.231	39.270
950	39.310	39.349	39.388	39.428	39.467	39.507	39.546	39.585	39.625	39.664
960	39.703	39.743	39.782	39.821	39.861	39.900	39.939	39.979	40.018	40.057
970	40.096	40.136	40.175	40.214	40.253	40.292	40.332	40.371	40.410	40.449
980	40.488	40.527	40.566	40.605	40.645	40.684	40.723	40.762	40.801	40.840
990	40.879	40.918	40.957	40.996	41.035	41.074	41.113	41.152	41.191	41.230

